

ABT Misnad Oil Pattern




Oil Pattern Distance Oil Per Board Multi ul **Reverse Brush Drop Reverse Oil Total** 10.215 mL **Volume Oil Total** 27.679 mL **Forward Oil Total** 17.464 mL **Tank Configuration Tank A Conditioner KEGEL Tank B Conditioner** N/A **KEGEL**

	START	STOP	LOAD5	MICS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	45	18	Α	148	0.0	7.6	7.6	6660
2	2L	2R	2	40	18	A	74	7.6	12.7	5.1	2960
3	2L	2R	2	36	18	A	74	12.7	17.8	5.1	2664
4	2L	2R	1	35	22	Α	37	17.8	20.9	3.1	1295
5	2L	2R	1	35	22	A	37	20.9	24.0	3.1	1295
6	2L	2R	1	35	22	A	37	24.0	27.1	3.1	1295
7	2L	2R	1	35	22	A	37	27.1	30.2	3.1	1295
8	2L	2R	0	35	22	Α	0	30.2	36.0	5.8	0
9	2L	2R	0	35	30	A	0	36.0	39.0	3.0	0

	START	STOP	LOAD5	MICS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	45	30	В	0	39.0	28.0	-11.0	C
2	12L	12R	1	45	22	В	17	28.0	24.9	-3.1	765
3	11L	11R	1	45	22	В	19	24.9	21.8	-3.1	855
4	10L	10R	1	45	18	В	21	21.8	19.3	-2.5	945
5	9L	9R	1	45	18	В	23	19.3	16.8	-2.5	1035
6	8L	8R	1	45	18	В	25	16.8	14.3	-2.5	1125
7	7L	7R	1	45	18	В	27	14.3	11.8	-2.5	1215
8	6L	6R	1	45	18	В	29	11.8	9.3	-2.5	1305
9	5L	5R	1	45	18	В	31	9.3	6.8	-2.5	1395
10	3L	3R	1	45	18	В	35	6.8	4.3	-2.5	1575
11	2L	2R	0	45	14	В	0	4.3	0.0	-4.3	C

Cleaner Ratio Main Mix NA Cleaner Ratio Back End Mix NA Cleaner Ratio Back End Distance NA Buffer RPM: $4 = 720 \mid 3 = 500 \mid 2 = 200 \mid 1 = 50$ Download PDF for full description.



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	1.54	1.11	1	1	1.11	1.54

Forward

Reverse

Combined

